

**HORIZON TACOMA GRAY MATTE 5-GAL**

Version 1.2

Print Date 08/06/2008

REVISION DATE: 07/12/2007

**SECTION 1 - PRODUCT IDENTIFICATION / PREPARATION INFORMATION**
**Product Information**

Trade name : HORIZON TACOMA GRAY MATTE 5-GAL  
 Product code : TBS520-600 805

Supplier : Tremco Canada division  
 220 Wicksteed Avenue  
 Toronto, ON M4H 1G7

Telephone : (416) 421-3300  
 Emergency Phone: : (613) 996-6666

Product use : Coating

**Preparation Information**

Prepared by: : Sewnauth Raghunandan  
 Date: : 07/12/2007  
 Telephone : (416) 421-3300

**SECTION 2 - HAZARDS IDENTIFICATION**
**Emergency Overview**

Gray. Liquid. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

**Acute Potential Health Effects/ Routes of Entry**

Inhalation : No serious effects anticipated under normal conditions of use.  
 Eyes : Direct contact may cause mild irritation.  
 Ingestion : May cause gastrointestinal irritation, nausea, and vomiting.  
 Skin : May cause mild irritation.

**Aggravated Medical Conditions**

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

**Chronic Health Effects**

Inhalation of crystalline silica (quartz) can cause cancer based on animal data, and IARC concludes sufficient evidence in humans (Group 1). Prolonged and repeated overexposure to free crystalline silica dust above the TLV level may cause scarring of the lungs with cough and shortness of breath. A delayed lung injury, silicosis may result from breathing free silica. Prolonged or repeated exposure to vapors of isopropyl alcohol can cause eye, skin, or respiratory irritation, headache, dizziness, nausea, in coordination, drowsiness, and loss of consciousness. Prolonged or repeat exposure to liquid can cause defatting, drying, and irritation of the skin dermatitis. Long term overexposure to propylene glycol caused liver abnormalities, kidney damage in laboratory animals. Repeated excessive ingestion may cause central nervous system effects. Fillers are encapsulated and not expected to be released from product under normal conditions of use.

**SECTION 3 : HAZARDOUS INGREDIENTS**

| <b>Chemical Name</b> | <b>CAS-No.</b> | <b>Weight % Range</b> |
|----------------------|----------------|-----------------------|
| Titanium dioxide     | 13463-67-7     | 3.0 - 7.0             |
| Propylene glycol     | 57-55-6        | 3.0 - 7.0             |

**HORIZON TACOMA GRAY MATTE 5-GAL**

Version 1.2

Print Date 08/06/2008

REVISION DATE: 07/12/2007

|  |            |           |
|--|------------|-----------|
| 2-Propanol                               | 67-63-0    | 0.5 - 1.5 |
| Crystalline Silica (Quartz)/ Silica Sand | 14808-60-7 | 0.1 - 1.0 |

The ingredients listed above are hazardous as defined in the controlled products regulation. (CPR).

**SECTION 4 - FIRST AID MEASURES**

Get immediate medical attention for any significant overexposure.

Inhalation : Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Eye contact : Flush with water for 15 minutes. If irritation persists, get medical attention.

Skin contact : Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.

Ingestion : Get medical attention. Do not induce vomiting.

Notes to physician : Not applicable.

**SECTION 5: FIRE / EXPLOSION HAZARDS**

Flash point : Not available.

Method : Not applicable.

Lower explosion limit : Not available.

Upper explosion limit : Not available.

Autoignition temperature : Not available.

Extinguishing media : This product is not expected to burn under normal conditions of use.

Hazardous combustion products : Carbon monoxide and carbon dioxide can form. Smoke, fumes.

Protective equipment for firefighters : Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).

Fire and explosion conditions : This product not expected to ignite under normal conditions of use.

**SECTION 6 - SPILLS / LEAKS / ACCIDENTAL RELEASE MEASURES**

Transfer to appropriate container for disposal. Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

**SECTION 7 - HANDLING AND STORAGE**

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Keep from freezing. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above freezing.

**SECTION 8 - PREVENTIVE MEASURES/EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Personal protection equipment**

**HORIZON TACOMA GRAY MATTE 5-GAL**

Version 1.2

Print Date 08/06/2008

REVISION DATE: 07/12/2007

- Respiratory protection : Not required under normal conditions of use. Wear appropriate, NIOSH/MSHA approved respirator with combination particulate filter and vapor/gas removing cartridge when the ventilation is not adequate or if it is necessary to abrade or grind surfaces coated with this product.
- Hand protection : Use suitable impervious rubber or vinyl gloves and protective apparel to reduce exposure.
- Eye protection : Wear appropriate eye protection. Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.
- Skin and body protection : Prevent contact with shoes and clothing. Use rubber apron and overshoes.
- Protective measures : Other equipment not normally required. Use professional judgment in the selection, care, and use.
- Engineering measures** : Not required under normal conditions of use. Use local exhaust when the general ventilation is inadequate.

**Exposure Limits**

| <b>Chemical Name</b>                        | <b>CAS Number</b> | <b>Regulation</b>   | <b>Limit</b>   | <b>Form</b>                                  |
|---|-------------------|---|--|--|
| Titanium dioxide                            | 13463-67-7        | Ontario TWA:<br>ACGIH TWA:  | 10 mg/m3<br>10 mg/m3   | Total dust.                                  |
| 2-Propanol                                  | 67-63-0           | ACGIH TWA:<br>ACGIH STEL:<br>Ontario TWA:<br>Ontario STEL:<br>Ontario TWA:<br>Ontario STEL: | 200 ppm<br>400 ppm<br>200 ppm<br>400 ppm<br>200 ppm<br>400 ppm |  |
| Crystalline Silica (Quartz)/<br>Silica Sand | 14808-60-7        | Ontario TWA:<br>ACGIH TWA:  | 0.10 mg/m3<br>0.025 mg/m3                                      | Respirable fraction.<br>Respirable fraction. |

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

- Physical State : Liquid
- Form : Liquid
- Color : Gray
- Odor : Ammonia
- pH : 9 - 10
- Vapour pressure : Not available.
- Vapor density : Heavier than air
- Melting point/range : < 0 °C, < 32 °F
- Freezing point : Not available.
- Boiling point/range : 212 °F, 100 °C
- Water solubility : Soluble
- Evaporation Rate: : Not available.

**HORIZON TACOMA GRAY MATTE 5-GAL**

Version 1.2

Print Date 08/06/2008

REVISION DATE: 07/12/2007

Specific Gravity : 1.03

% Volatile Weight : 34 %

**SECTION 10 - REACTIVITY / STABILITY**

Substances to avoid : Strong acids.Strong bases.

Stability : Stable

Hazardous polymerization : Will not occur.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

Propylene glycol, CAS-No.: 57-55-6

Acute oral toxicity (LD-50 oral)

30,000 mg/kg ( Rat ) 18,000 mg/kg ( Rabbit ) 19,000 mg/kg  
( Dog ) 23,900 - 31,800 mg/kg ( Mouse ) 18,400 - 196,000  
mg/kg ( Guinea pig )

2-Propanol, CAS-No.: 67-63-0

Acute oral toxicity (LD-50 oral)

4,700 - 5,800 mg/kg ( Rat ) 6,410 mg/kg ( Rabbit ) 4,797  
mg/kg ( Dog ) 3,600 mg/kg ( Mouse ) 8,000 mg/kg ( Rabbit )  
5,045 mg/kg ( Rat ) 4,797 mg/kg ( Dog ) 3,600 mg/kg ( Mouse )  
6,410 mg/kg ( Rabbit ) 8,000 mg/kg ( Rabbit ) 4,700  
- 5,800 mg/kg ( Rat ) 5,045 mg/kg ( Rat )

Acute dermal toxicity (LD-50 dermal)

5,030 - 7,900 mg/kg ( Rabbit ) 12,800 mg/kg ( Rabbit ) 5,030  
- 7,900 mg/kg ( Rabbit ) 12,800 mg/kg ( Rabbit )
**SECTION 12 - ECOLOGICAL INFORMATION**

No Data Available

**SECTION 13 - WASTE DISPOSAL CONSIDERATIONS**

Disposal Method : Dispose as hazardous waste according to all local, state, federal and provincial regulations.

**SECTION 14 - TRANSPORTATION / SHIPPING DATA**

TDG / DOT Shipping Description:

NOT REGULATED

**SECTION 15 - REGULATORY INFORMATION**
**North American Inventories:**

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

**HORIZON TACOMA GRAY MATTE 5-GAL**

Version 1.2  
 REVISION DATE: 07/12/2007

Print Date 08/06/2008

**Canadian Regulations:**

WHMIS Classification : D2A

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

**Other Regulations:**

Regulatory VOC (less water and exempt solvent) : 65 g/l

**SECTION 16 - OTHER INFORMATION**

**HMIS Rating :**

|              |   |
|--------------|---|
| Health       | 1 |
| Flammability | 0 |
| Reactivity   | 0 |
| PPE          |   |

0 = Minimum  
 1 = Slight  
 2 = Moderate  
 3 = Serious  
 4 = Severe

**Further information:**

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

**Prepared by: Sewnauth Raghunandan**

**Legend**

- ACGIH - American Conference of Governmental Hygienists
- DOT - Department of Transportation
- DSL - Domestic Substance List
- EPA - Environmental Protection Agency
- HMIS - Hazardous Materials Information System
- IARC - International Agency for Research on Cancer
- MSHA - Mine Safety Health Administration
- NDSL - Non-Domestic Substance List
- NIOSH - National Institute for Occupational Safety and Health
- NTP - National Toxicology Program
- OSHA - Occupational Safety and Health Administration
- PEL - Permissible Exposure Limit
- RCRA - Resource Conservation and Recovery Act
- STEL - Short Term Exposure Limit
- TLV - Threshold Limit Value
- TSCA - Toxic Substances Control Act
- TWA - Time Weighted Average
- V - Volume
- VOC - Volatile Organic Compound
- WHMIS - Workplace Hazardous Materials Information System